


25m multimode pigtail fiber 25g



25m multimode pigtail fiber 25g



SFP-25G-SR-S transceiver are an ideal solution for those same data center applications that require up to 100 meters over OM4 fiber or 70 meters over OM3 fiber interconnect using optical (Multi Mode Fiber) ...




This laser-optimized multimode fiber (LOMMF) cable is ideal for LANs, SANs and high-speed parallel interconnects for head-ends, central offices and data centers.



Dawnray's Q4S-25G-AOC-25M AOC is a 4x 25Gbps QSFP28 to 4 SFP28 active optical breakout cable for use in 25GBASE Ethernet network. QSFP28 breakout AOC provides 4x 25.78Gb/s throughput for ...



The SFP28 Active Optical Cable is a direct-attach fiber with SFP28 connectors and operates over Multi-Mode Fiber (MMF). This AOC is compliant with the SFF-8432 SFP28 MSA standards.




SFP28 transceiver that supports 25G connections up to 100 m using multi-mode fiber with a duplex LC UPC connector.



Arista supports a range of 25G copper cables and optical transceivers compliant to IEEE standards and industry MSAs. Arista's 25G connectivity solutions include copper cables, Active Optical Cables ...



Get the best performance out of your devices with our 25 meter LC to LC (50/125) multimode duplex fiber optic patch cables.



This SFP28 transceiver allows you to connect a multimode fiber optic cable to a ...



25 m Multimode Fiber Optic Cable Assemblies are available at Mouser Electronics. Mouser offers inventory, pricing, & datasheets for 25 m Multimode Fiber Optic Cable Assemblies.



This SFP28 transceiver allows you to connect a multimode fiber optic cable to a 25 Gbps network router, server or switch. It transmits data up to 328.08-ft. (100 m) using an 850 nm wavelength. The zinc ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

