

45-degree and 90-degree bend cable trays



45-degree and 90-degree bend cable trays



Heavy Duty 90 Degree Flat Bend 75mm £ 24.19 ex. VAT - £ 29.03 inc. VAT Heavy Duty 90 Degree Flat Bend 75mm Galvanised £ 35.06 ex. VAT - £ 42.07 inc. VAT Heavy Duty 90 Degree Flat Bend ...



Buy Medium Duty Cable Tray 45°-90° Adjustable Angle Bend - 150mm from Brymec today. Built to perform. Made to last.



Features Contains: One Kit contains hardware for one tee or two ...



HellermannTytonGÇÖs low voltage raceway (TSR) is a one piece, non-metallic, adhesive backed, latching raceway designed to aesthetically organize and route communications wires, including high ...




45° & 90° flat bends are available for light, medium and heavy duty cable tray systems with widths ranging from 50mm - 900mm. An adjustable bend with 30°, 45°, 60°, 75° & 90° configurations is also ...



Eaton B-Line > Perforated Cable Trays > Perforated Cable Tray Fittings > Pan Tray Horizontal Bends 90° 60° 45° 30° (HB) - Fitting 3D CAD models



6A-12-90VI36 - Eaton B-Line series vertical inside bend, 6" H x 45.1880" W x 12" L, Aluminum, 36" radius, 90° angle



Cable Tray Fitting, 90° Junction Kit. Material: Carbon Steel. Finish: Electroplated Zinc. Includes: (1) Hardware for (1) Tee (2) 90° Bends.



"Cable Tray System" is an assembly of formed metal sections, coupled together by splice plates to provide an economical and rigid structure for supporting a wide range of cables. "GLOBE" Cable Tray ...



Features Contains: One Kit contains hardware for one tee or two 90 degree bends. Slotted Design: fits any size tray and eliminates precise tray alignment. UL Classified Splice.



Fittings, cable trays, screw connection - Vertical bends, screw connection.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

