

# Indzawo Optic Connect

## 48 Terminal Box



## 48 Terminal Box



Explore FiberMania fiber optic termination boxes for FTTH and small networks. Durable enclosures with 4-48 ports, adapter compatibility, and easy install.




With a capacity for 48 fibers, this box maximizes port density within a compact footprint. Its modular tray design allows for clean cable routing, easy identification, and efficient splicing, significantly reducing ...



The FDB-48 is suitable for indoor or outdoor FTTH applications that support up to 48 subscribers. It has a durable wall-mountable housing with a weatherproof gasket and weatherproof PG gland entry/exit ...



This terminal box serves as a crucial termination point in FTTH communication networks. It connects feeder cables with drop cables, integrating fiber splicing, splitting, distribution, storage, ...



TERMINALS: 48 AAR HDWR: YES OUTLETS: 2"  
HOLE FITTING: NO PEDESTAL: NO L& W P/N  
3A7005-7X



FLK-FAT-248A FTTx Fiber Access Terminal Box is used for the distribution connection of cable and fiber optic communication devices. It leads out the optic signal from drop cable to pigtails by splicing in the ...




The 48-Cores Outdoor Fiber Termination Box is a high-capacity, wall-mounted FTTH enclosure designed for reliable fiber termination, splicing, and distribution in outdoor and indoor access networks.



It features a rail-type draw design and supports up to 48-core SC or 96-core LC connections. This high-quality fiber optic termination box is designed to provide a secure and protective enclosure for ...



The 48-Core Fiber Terminal Box is a versatile, high-capacity solution for FTTx applications, offering secure splicing, distribution, and durable protection.



The FT-WTB-5B-48 is a wall mount box designed for use in small capacity communication systems and features a sturdy and compact structure. It offers an easy point of convergence for splicing and ...



PPC's Splitter Terminal Box (SFTB) is developed for FTTx applications, and can accommodate up to 48 splices and 24 SC simplex/ LC duplex adapters. SFTB48 is designed to house fiber optical ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

