



485 Intelligent Passenger Control Distribution Box



485 Intelligent Passenger Control Distribution Box



Intelligent Distribution for passenger stations - Short version



ormation. Data transfer is made via a RS-485 interface. The onboard insulated digital I/O interfaces can be used to directly communicate with intelligent doors or flow control systems, guaranteeing optimal ...



Advanced IP-based Integriti Access Controller (IAC) PCB for intelligent and scalable access control. Supports up to 250 doors, 1,000 readers, and 100,000 users. Includes RS-485, Wiegand, and ...



Provides a communication interface from Liebert® devices to a Building Management System or SiteScan™ SiteLink modules for remote monitoring and control via Modbus RTU or Liebert® ...



4-slot Distributed DA& C System for RS-485.



RS-485 Distribution Box FAST AND EFFECTIVE SOLUTION FOR RS-485 NETWORKING Simple wall mounting 7 holes to feed the cables through Termistor, connectable via jumper



Length:25.0mm
Small-end inner diameter:2.0mm
Large-end inner diameter:5.3mm
Outer diameter:7.5mm

An RS485-based control panel can connect up to 32 devices on a single bus, allowing users to control and monitor multiple devices with a single interface. This simplifies installation and ...



The PI Distribution Box is available in versions compatible with each major dispenser: Wayne/Dresser, Gilbarco, Tokheim, RS485-type, Kraus, and Bennett.




- INTEGRIS OUTDOOR CABINET
- ALLUREN
- OUTDOOR ENERGY STORAGE CABINET
- OUTDOOR EQUIPMENT CABINET

Communication with the Intelligent System Controller is via a 2-wire or 4-wire RS-485 interface. The interface allows multidrop communication on a single ISC port, up to 4,000 feet (1219 m) away per ...




View the TI Interconnect/distribution box block diagram, product recommendations, reference designs and start designing.



The PC-485.S5 digital output is designed to drive indicator and status LED's on third party devices for Privacy, Service, Butler Call, as well as a variety of other status indication, and hotel service ...



This integrated solution provides the capabilities and features of Astronics' EmPower® In-Seat Power System for passenger use (AC and/or USB) and adds ...



PI DBoxes made for use with Wayne/Dresser and 485-type dispensers have connections for 16 dispensers, while the models for use with Tokheim and Gilbarco have connections for 8 dispensers ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

