

Bulk purchase of 1 6T optical module LPO



Bulk purchase of 1 6T optical module LPO



Amphenol's 200G/lane optical modules support DR4, FR4, 2×DR4, 2×FR4, AOC, and breakout AOC configurations with LC or MPO ports, ideal for 800G/1.6T Ethernet applications. Fully ...



FiberMall OSFP-XD-1.6T DR8 transceiver is a high-performance optical module ...



1.6T high-speed optical module products use 200G/lane silicon photonic chips developed in-house Both electrical and optical interfaces support 8x200 Gbit/s PAM4 Up to 500m transmission with 1310nm ...



1.6T-DR8 OSFP224 LPO transceiver offers 8 channels of 200G-PAM4, 500m reach, and supports IEEE 802.3df, ideal for 1.6T Ethernet networks - AscentOptics.



Our optical modules feature traditional DPO, low-power LRO, LPO, and Active Loopback designs for testing, and support data rates from 10G up to 1.6T across a wide range of package types.



Lumentum's 1.6T 2×DR4 TRO OSFP transceiver delivers ultra-high-speed optical connectivity for AI and cloud data centers requiring the highest density and energy efficiency.



FiberMall OSFP-XD-1.6T DR8 transceiver is a high-performance optical module with a maximum transmission distance of 2 km, suitable for high-bandwidth requirements.



Hyper Photonix is a leading optical transceiver supplier for high-speed networking applications in data center, enterprise, and optical transmission networks. The company's high-performance optical ...



Fully compliant with OSFP MSA standards, our 1.6T modules are designed for high-performance applications in Ethernet networks, data centers, and cloud infrastructures.



It is a small-form-factor hot pluggable transceiver module integrated with high performance Sipro modulator. It is compliant with 1600G Ethernet specs and OSFP MSA.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

