

# Indzawo Optic Connect

## D-type junction box



## D-type junction box



Choose from our selection of junction boxes, including over 2,800 products in a wide range of styles and sizes. Same and Next Day Delivery.



We offer bespoke, custom-made terminal boxes and terminal box combinations, as well as standard products with short delivery times. Our products are certified for installation technologies all over the ...



With their rugged construction and well-thought-out design, Pepperl+Fuchs Ex d terminal boxes and junction boxes simplify both installation and maintenance while providing reliable explosion ...



**WARNING:** This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. Need help selecting the correct components?



Length:17.0mm  
Small-end inner diameter:2.05mm  
Large-end inner diameter:3.6mm


They can be used as junction, pull and splice boxes as well as to enclosure electrical devices and instruments. Applications can include components such as motor starters, circuit breakers, control ...



The Ex e ("Increased security") eliminates all spark thanks to reinforced isolation distances; the Ex d ("Explosion") encloses the possible explosion so that it does not spread the flame out of the box.



ROSE's Ex d Enclosures are used, in particular, in the processing industry, in oil and gas, chemicals and pharmaceuticals companies, for example. They are also used in control and instrumentation ...



Type 1 surface or flush mounted enclosure generally used as a junction, pull box, switch box or general service box. Technical specifications subject to change without notice.



To function as a splice box, pull box or equipment and device enclosure. Indoors and outdoors. Threaded construction throughout permits use in hazardous areas. Bodies have thick walls so they ...



The D1xJ2 is a versatile UL, cUL, IECEx & ATEX approved explosion proof junction box. The robust IP66 corrosion proof aluminium LM6 enclosure and extended temperature range ensures the D1xJ2 ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

