


# Indzawo Optic Connect

## Fiber optic cable PS



## Fiber optic cable PS



We are committed to providing high-performing fiber optic cables through professional and reliable capabilities. Equipped with the most extensive and stringent testing and solution designing ...



View the manual for the PASCO PS-2601 Fiber Optic Cable. Learn about its features, usage, and compatibility with the Wireless Spectrometer for spectrometry experiments.



Meet all of your fiber optic cable assembly needs in full with our extensive line of trunk assemblies, breakout harnesses, patch cords, interconnects, and pigtails.



Fiber Optic Cables Plastic Fiber, Diffuse Reflective; Core Dia.: 1 mm; Fiber Length 1 m; Right-Angle, Thread M6; Standard Bend Radius 25 mm, Flex Relief; Free Cut; Vantage Line



FCD offers TAA Compliant and Made in the USA fiber optic cables. We can custom build any length and type of fiber you need and we'll ship the order typically within 1-2 days.



DIAMOND's Power Solution (PS) uses expanded beam technology to lower power density at the fiber interface, reducing the risk of damage from contamination. Designed for high-power applications, it ...



Visit the product page at [pasco /product/PS-2601](#) to view the specifications and explore accessories. You can also download experiment files and support documents from the product page.



Online shopping for Fiber Optic Cables from a great selection at Electronics Store.



This 1m Fiber Optic Cable facilitates emissions spectroscopy experiments with the PASCO Wireless Spectrometer. Simply insert the Fiber Optic Cable into the cuvette holder and point the end of the ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

