


## Free quote for PAM4 optical receiver



### Overview

Get a price quote for 50Gbps PAM4 LC ROSA APD-TIA Receiver Module directly from Friend Laser Photonics Co. | Ask questions and find out technical details and specifications. For the sample orders, if it met with the Free Shipping policy, then shipping and delivery cost would be covered by NADDOD. This product is housed in a compact LC ROSA package, ensuring easy integration into various systems. It is fully compliant with ROHS standards and adheres. The 200G QSFP56 SR4 InfiniBand HDR optical module supports speeds up to 200 Gb/s, short-range distance reaching up to 100m over 12 parallel multimode fiber (MMF) OM4. QSFP56-200G-SR4 is designed based on PAM4 (Pulse Amplitude Modulation 4-level) modulation technology, DSP (Digital Signal. 400G QSFP-DD SR4 connects 400G QSFP-DD switches and NVIDIA ConnectX-7 NDR 400G OSFP or QSFP112 InfiniBand Adapter Card. Open Union's 400G SR transceiver offers ultra-fast, short-range optical networking for high-performance data centers. Learn more today and enquire online. Leveraging Acacia's proven silicon photonics expertise, the Optical Engine product family is designed to support 200G per lane electrical designs for client optics transceiver modules.


## Free quote for PAM4 optical receiver



These optical engine products in conjunction with the 3nm Kibo 1.6T PAM4 DSP can deliver a solution with the performance and power efficiency required for the most demanding AI workloads. Separate ...



Samtec's FireFly™ Micro Flyover System™ embedded and rugged mid-board optical transceivers take data connection "off board" for up to 28 Gbps per lane with a path to 112 Gbps PAM4 via optical ...



NVIDIA/Mellanox MMA1T00-HS (980-9I17S-00HS00) Compatible 200G SR4 QSFP56 4x50G PAM4 850nm 100m MMF DOM MPO-12/UPC InfiniBand HDR Optical Transceiver Module Arista QDD ...



The line signal is PAM4-modulated which means that the transmission links will need optical amplifiers and dispersion compensation. The receiver optical specification is consequently only specifying ...



100G QSFP28 PAM4 ER1-40 Single Lambda module is designed for 100GBASE Ethernet throughput up to 40km over SMF using a wavelength of 1310nm - AscentOptics.



Hyper Photonix offers a comprehensive range of high-performance NRZ and PAM4 optical transceivers designed to serve the varying speed requirements within the bandwidth-intensive landscape of ...




The InfiniBand HDR QSFP56 200G SR4 PAM4 module delivers excellent 200G performance over multimode fiber. Easy to deploy, stable PAM4 signal, and low latency—perfect for ...



Open Union's 400G SR transceiver offers ultra-fast, short-range optical networking for high-performance data centers. Learn more today and enquire online.



This advanced optical receiver utilizes an APD-TIA (Avalanche Photodiode-Transimpedance Amplifier) configuration, optimized for 50Gbps PAM4 industrial temperature applications.



Please proceed as non-catalog order by contacting your Keysight representative to obtain a quote. This product is over the price threshold for your account. To buy, contact your procurement team.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

