

Ghana QSFP optical module PAM4





The 400GBASE-FR silicon photonics module, MTP/MPO-12 connector, up to 2km over parallel single-mode fiber. It is compliant with QSFP-DD MSA, IEEE 802.3 protocol and 400GAUI-8 standards.



It has been designed to meet the harshest external operating conditions including temperature, humidity and EMI interference. The module offers very high functionality and feature integration, accessible ...



400G (100G-PAM4) OSFP & QSFP112-based Cables and Transceivers User Guide This document has been deprecated, for more information refer to Interconnect Product Specifications or contact your ...



The Gigalight 400G QSFP-DD SR8 PAM4 100m optical transceiver (GQD-MPO401-SR8CB) is designed for 2x 200GBASE-SR4 Ethernet links reach up to 70m (OM3) or 100m (OM4) over Multi-Mode Fiber ...



For 400G optical transceivers, both OSFP and QSFP-DD use the 8x50G/PAM4 electrical signal for the host interface, which means they both employ PAM4 modulation. This article will introduce the PAM4 ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

