

# Indzawo Optic Connect

## LR-C optical module



## LR-C optical module



The XG-SFP-LR-SM1310 is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over a single-mode fiber (SMF) with an LC connector.




The 4Pack SFP+ 10GBase-LR module stands out with its ...



Optical Fiber media support ensures maximum convenience and great usability. For transmitting data at gigabit speed over hundreds of miles with little integrity loss, single-mode fiber optic is an ideal solution.



With a 1310 nm wavelength, it is capable of reaching distances up to 10 km over LC connectors, making it suitable for various data center and enterprise networking ...



Juniper SFPP-10G-LR-C (100% Compatible) 10G 10GBASE-LR Single Mode 10km 1310nm SFP+ Transceiver - Lifetime Warranty!



10GBASE-LR is a 10-gigabit Ethernet optical standard that operates at 1310 nm over single-mode fiber (SMF), supporting link distances of up to 10 km.



SFP-10G-LR-C Common Optic SFP+, 10G-LR Transceiver Overview Specifications Supported Platforms Supported Interface Modules How to Buy PDF ... Back to Top



With a 1310 nm wavelength, it is capable of reaching distances up to 10 km over LC connectors, making it suitable for various data center and enterprise networking applications. Quick Spec Table 1 shows ...



The 4Pack SFP+ 10GBase-LR module stands out with its exceptional 10Gbps transmission speed, showcasing outstanding performance and reliability, making it the ideal choice ...



Juniper's portfolio of qualified 10G and 1G optical transceivers are low-cost multipurpose modules available in footprint-optimized form factors.



Juniper SFP-10G-LR-C (100% Compatible) 10G 10GBASE-LR Single Mode 10km 1310nm SFP+ Transceiver - Lifetime Warranty!



Table 9-61 SFP-10G-LR-C specifications ...  
Translation Favorite Download Update  
Date 2024-10-08 Document ID EDOC1000013755  
Views 1182823 Downloads 7385 Average  
rating 3.0Points



Comprehensive 5G fronthaul 25G optical module  
selection guide. Compare SFP28  
SR/LR/ER/BiDi/CWDM types covering distance,  
wavelength, power consumption, DDM diagnostics,  
...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to  
change without notice.

