

Longest single optical cable reel



Longest single optical cable reel




I believe Corning and Prysmian will do up to 40,000ft reels for 144 count. Whether the contractor was equipped to handle that much in one continuous run is another story. The spacing of splice closures ...



The SpoolMaster DC-1 DataCom vertical cable caddy supports up to 100 lbs. on a single cable reel with a maximum 20" diameter and 16.5" width. When installing video cable, audio cable or Ethernet cable ...



Find out about our cable drum dimensions, weight, length, standard spool and wooden cable reel sizes.



Compatible with single-mode, multimode, and tactical fiber cables, this cable reel is an essential tool for reliable, high-performance fiber connectivity in the field. We've used this reel for ...



Take a look at our test program to get the reliable and high-performance fiber optic cables.



Foss provides durable fiber optic cable reels for mobile, tactical, and industrial applications. Designed for easy transport, quick deployment, and reliable performance in harsh environments such as military, ...



Calculate actual total cable weight and compare to Allowable Cable Weight shown.



The Complex Duplex LC Single-Mode Fiber Optic Tactical Snake Reel comes in a 1000" reel, and is a ruggedized multichannel fiber optic cable designed for multiple field production deployments in ...



With next level engineering, our Fiber Optic Cable Reels exclusively manufactured by OCC are guaranteed to suffice as a lucrative addition to your fiber optic networking project.



Unlike traditional metal-style reels, MARS is a lightweight, modular system constructed of an impact modified polymer that is easily transported. It is ideal for applications where cable needs to be ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

