


Micro-nano fiber optic evanescent sensing principle



Overview

We demonstrate gas detection based on evanescent-wave photoacoustic (PA) spectroscopy with tapered optical fibers. Evanescent-field instead of open-path absorption is exploited for PA generation, and a quartz tuning fork is used for PA detection. On the one hand, the sensing and optical properties of micro/-nanofiber devices can be optimized by introducing different micro/nanostructures through micro/nano-processing technology (femtosecond laser processing, electron beam etching, ion beam engraving, and chemical etching) or through the. On the one hand, the sensing and optical properties of micro/-nanofiber devices can be optimized by introducing different micro/nanostructures through micro/nano-processing technology (femtosecond laser processing, electron beam etching, ion beam engraving, and chemical etching) or through the. Recently, microfiber-optic sensors with high sensitivity, fast response times, and a compact size have become an area of interest that integrates fiber optics and nanotechnology. Distinct advantages of optical microfiber, such as large accessible evanescent fields and convenient configurability. An optical micro/nanofiber (MNF) is a quasi-one-dimensional free-standing optical waveguide with a diameter close to or

less than the vacuum wavelength of light.

Micro-nano fiber optic evanescent sensing principle




Combining the tiny geometry with high-refractive-index contrast between the core and the surrounding, the MNF exhibits favorable optical properties such as tight optical confinement, strong evanescent ...



Here, we review the basic principles of microfiber-optic sensors based on a broad range of microstructures, nanostructures, and functional materials. We also introduce the recent progress and ...



In this review, we first introduce the basics of MNF optics and MNF optical sensors from physical and chemical to biological applications and review the progress and current status of this field.



We demonstrate gas detection based on evanescent-wave photoacoustic (PA) spectroscopy with tapered optical fibers. Evanescent-field instead of open-path ...



The technique utilizes commercial fiber-optic components to make cost-effective lab-on-fiber probes with real-time and remote detection capability for industrial, medical, and environmental ...



This paper presents an optical electric field sensor (OEFS) based on evanescent field characteristics of micro-nano fiber (MNF) and electro-optic effect of elec



We demonstrate gas detection based on evanescent-wave photoacoustic (PA) spectroscopy with tapered optical fibers. Evanescent-field instead of open-path absorption is exploited for PA ...



Because of their strong surface evanescent field, micro-/nanofibers have been used to develop optical sensors and modulation devices with a high performance and integration.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

