

Multi-functional explosion-proof plug for distribution box



Multi-functional explosion-proof plug for distribution box



Made with chemicals safer for human health and the environment. Manufactured on farms or in facilities that protect the rights and/or health of workers. Need help?



100 feet of SOOW cord terminated in a Class I, Div. I 15 Amp Twist Lock Plug.



These explosion proof junction boxes / terminal boxes, plugs, sockets & connectors are for use in explosive atmospheres in compliance with the ATEX 94/9/EC Directive and IEC.



Choose from our selection of hazardous location electrical plugs, including over 6,700 products in a wide range of styles and sizes. Same and Next Day Delivery.



U-Line 1-Gang Receptacle With Mounting Box, Number Of Poles: 3, Number Of Wires: 2, Amperage Rating: 20 AMP, Voltage Rating: 250 VAC, Material: Copperfree (4/10 Of 1 PCT Maximum) ...



Discover our selection of Hazardous Location/Explosion Proof products. Our product experts are here to assist you. Get in touch with our team now.



Discover SUREALL's ATEX-approved explosion proof plug & socket solutions for heavy industry. Dust-proof, corrosion-resistant receptacles. Contact us for pricing!



Explosion-Proof Straight Blade Receptacle. 20 Amps. 125V AC. EFSR Series. NEMA 5-20R, 2-Wire, 3-Pole. 1-Gang, Spring Door. Malleable Iron. For use with EFD Type Outlet Boxes.



Explosion-proof electrical manufacturers and factory, The products cover a complete series from explosion-proof components to the integration of electronic control systems, which has achieved ...



SolConeX is R. STAHL's latest series of explosion-protected plugs and sockets, boasting impressive versatility and a great many clever features for quick and easy installation and functional operation in ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

