

Optical cable copper connector spring clip model



Optical cable copper connector spring clip model



Choose from our selection of copper clips in a wide range of styles and sizes. Same and Next Day Delivery.



Drop Clamp For Fiber Drop Cables DROP CLAMP FOR ROUND FIBER OPTIC CABLE FIBER DROP CLAMP WITH CUSTOM SHIM UNIVERSAL THREE PIECE FIBER DROP CLAMP



2-piece kit Fiber optical thermal stripper M8 & fiber optical cleaning clip compatible with bare fiber/bundle and ribbon fiber for 1-48 core dual heating mode and 8-level temperature regulation. Need help?



Explore our range of single mode fiber connectors and fiber connections at CommScope. Our high-quality MPO connectors ensure reliable and efficient data transmission.



US Conec manufactures durable, composite, Polyphenylene Sulfide (PPS) based thermoplastic ferrules available with up to 72 fiber holes that terminate 125 micrometer optical fiber. The alignment ...




The innovative design makes it possible to fix wires, cables, hoses and pipes on a single mounting point in two separate work steps. Installers and maintenance engineers no longer have to hold the bundle ...



Spring Clip Connectors are available at Mouser Electronics. Mouser offers inventory, pricing, & datasheets for Spring Clip Connectors.



These 3 Slot Fibre Clips are designed for organising and securing fibre optic cables, splice protectors, and WDMs. This type of fibre clip can hold three 3mm diameter fibres, ensuring an attractive and ...



This standard style of spring clip is used to apply spring tension to hold odd shaped components in an assembly. Use our Quick Search below to source beryllium copper spring clips and spring steel ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

