


Outdoor Single-Mode Fiber Optic Extension



OM1 Fiber Patch Cable Family



Outdoor Single-Mode Fiber Optic Extension



High-Speed Data Transmission: The Os2 SC/APC fiber optic internet cable extension ensures flawless optical signal transmission with no loss, facilitating rapid data transfer, making it an exceptional ...



This indoor/outdoor cable has a water blocking aramid yarn strength member surrounding the fiber optic strands and a UV resistant outer jacket making it a very versatile and perfect choice for a large ...



Our Armored Singlemode Fiber Optic Cables are designed for optimal performance and reliability in outdoor applications. Featuring high performance Corning® glass singlemode fiber with low insertion ...



LC female / SC female Simplex Fiber Optic Adapter, Singlemode / Multimode, Metal Hybrid Housing. Extend your LC/SC Fiber Optic ...



Choose 6 strand single mode outdoor fiber optic cable by OS2 fiber, jacket, strength member, water blocking, drum length, and installation.



Need help? Explore a diverse selection of fiber optic solutions including internet cables, digital audio extensions, and replacement cords for all your connectivity needs.



These pre-terminated fiber optic assemblies are perfect for headend termination, fiber rack systems, multi-floor deployments, and intra-building backbones, ...




Browse armored and dielectric outdoor fiber optic cable.



LC female / SC female Simplex Fiber Optic Adapter, Singlemode / Multimode, Metal Hybrid Housing. Extend your LC/SC Fiber Optic Cables length without replacing the original fiber cable. Durable and ...



These pre-terminated fiber optic assemblies are perfect for headend termination, fiber rack systems, multi-floor deployments, and intra-building backbones, meeting plenum installation standards.



Outdoor OS1 single-mode fiber cable with simplex LC UPC connectors.



This cable is a 4 Fiber Single-mode Custom Indoor/Outdoor Fiber Cable with Pre-terminated connectors and a strengthened fan-out / breakout from 0.9mm to 2.0mm. The breakout length is usually ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

