

# Indzawo Optic Connect

## PX20 optical module



## PX20 optical module



1.25G EPON OLT SFP PX20+ module is designed for use in Ethernet passive optical networks and transmit data at a wavelength of 1490nm and receive data of 1310nm.



Tell us your business needs, and we will find the perfect solution.



Measured with PRBS 27-1 test pattern @1.25Gbps, Low Pass Filter is on. Max. Loss of Signal. Asserted when light is off.



Generic Compatible PX20+ EPON OLT 1.25G 1490/1310nm 20km Simplex SC SMF DOM Optical Transceiver Module The PHILISUN EPON OLT PX20+++ 8dBm Transceiver is a premium-grade ...



The JFOPT EPON OLT PX20+++ 7dBm Transceiver is a high-performance 1.25G SFP module designed for Optical Line Terminal (OLT) applications, supporting 1490nm downstream transmission ...



EPON-OLT-PX20+++ GEAPON OLT PX20+++ Optical Module Product Features Compatible IEEE 802.3ah 1000BASE-PX20+++ GEAPON application Applied to EPON OLT for a ...



EPON OLT PX20+++ is an SFP packaged hot-swappable optical module (compliant with IEEE 802.3ah 1000BASE-PX20+) used to connect optical data communication links. It adopts a single-fiber ...




This 1490nm DFB EPON OLT SFP transceiver is designed to transmit and receive optical data over single mode optical fiber for link length 20km. The transmitter input and receiver output impedance is ...



Gigabit Ethernet Passive Optical Networks (GEPON) 20Km 1:32 application or 10Km 1:64 application.



1.25G EPON OLT SFP PX20+ module is designed for use in Ethernet passive optical networks and transmit data at a wavelength of 1490nm and receive data of 1310nm.



Home Fiber Optic Products Fiber Optic Patch Cord & Accessories VSOL EPON 9db Module (EPON OLT SFP PX20++++ Optical Module)

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

