

Power adapter fiber optic 850



Power adapter fiber optic 850



This economical unit converts a multimode fiber optical signal to a copper Ethernet signal that extends both power (48 VDC) and 10/100/1000 Mbps Gigabit Ethernet to a PoE+ (Power over Ethernet) device.



Networking Clearance Products Home FIS Two-Piece Test Kit: E-Series Power Meter with SM/MM Light Source (850/1300/1310/1550nm) & Reference Cords/Adapters



Supports Dual Speed Fiber Mode (configurable by dip switch) – Select 1000Base-SX or 100Base-SX – interconnecting with existing fiber nodes is easy with this media converter. Wavelength – 850nm, Use it with Multimode Fiber Only. FREE UTP Cat5e Patch Cable (1m - 39in) Comes In The Set With Every Unit! - ...



It can be used in standalone applications, or Rack-Mounted applications where multiple media converters can be inserted into a rack-mount chassis (up to 16 units), and allowing all the converters ...



FO converter with integrated optical diagnostics, alarm contact, for RS-485 2-wire bus systems (SUCONET K, Modbus ...) up to 500 kbps, NRZ coding, terminal device with one FO interface ...



The PSI-MOS-RS422/FO 850 E Serial to Fiber Converter transparently connects 4-wire RS422/RS485 and INTERBUS devices to fiber optic cable. By transmitting serial data over optical fiber, these serial ...



Transform your network connectivity with our state-of-the-art fiber ...



Perle is the manufacturer of 18 Serial to Fiber Converters. If you need to transmit RS232, RS422 or RS485 data over optical fiber, you are in the right place.



The SMARTFiber includes interchangeable adaptor to connect FC, ST and SC type fiber connectors. It utilizes an InGaAs detector to improved sensitivity and temperature stability to test for standard ...



The PSI-MOS-RS422/FO 850 E Serial to Fiber Converter transparently connects 4-wire RS422/RS485 and INTERBUS devices to fiber optic cable. By transmitting serial data over optical fiber, these serial ...



This economical unit converts a multimode fiber optical signal to a copper ...



Transform your network connectivity with our state-of-the-art fiber media converter with PoE (Power over Ethernet) capability. This compact and efficient device is designed to bridge the ...



Supports Dual Speed Fiber Mode (configurable by dip switch) - Select 1000Base-SX or 100Base-SX - interconnecting with existing fiber nodes is easy with this media converter. Wavelength - 850nm, ...



It can be used in standalone applications, or Rack-Mounted applications where ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

