

Secondary distribution box braided with soft copper wire



Overview

Single conductors are UL Listed as Type USE-2. Resistant to tear and abrasion. Used for secondary distribution and underground service at 600 volts or less. 600 V Single Layer. Ultra-flexible wire is suitable for use in tight spaces, such as control cabinets. Shop products from small business brands sold in Amazon's store.



Secondary distribution box braided with soft copper wire



These braids have a flux core for lead-free and electrical solder applications. Place a braid and a hot iron tip over unwanted solder and the braid absorbs the molten solder.



High-quality ceramic ferrule

Get free shipping on qualified Copper, Braided Wire products or Buy Online Pick Up in Store today in the Electrical Department.



Length:39.5mm
Small-end inner diameter:2.05mm
Large-end inner diameter:4.2mm
Outer diameter:6mm

Braided copper connectors provide a flexible electrical connection and dampen vibration at key distribution points in electrical power supplies, substations and industrial plants.



Explore braided copper wire solutions for automotive, industrial, and home electrical projects. Reliable grounding and shielding options available.



Find the right wire braid for your industrial application at RS. Our extensive range includes different materials such as braided steel cable and braided copper wire.




Written by industry experts, our manuals provide essential information to assist with basic applications, selection and installation of our products.



Application Used for secondary distribution and underground service at 600 volts or less. May be used in ducts or direct burial.



The door line connecting the power distribution box and the box is also called the lifeline, which is to ensure the effective connection between the cabinet door and the cabinet body, so that ...



Flexible flat braided ground strap or flexible tubular braided wire meet AA 59569 (formerly QQB575) and are available in tinned copper, and silver plated copper constructions. Cooner Wire's braided copper ...



The complete range of Flexible Copper Earth Braid Bonds that are used for bonding metal gates, doors, and fences in the vicinity of commercial and industrial buildings including LV MV HV substation earthing.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

