

Indzawo Optic Connect

Spectrometer PV

Output Module



Why Choose Us



20 Years of OEM/ODM
20 Years factory manufacturing experience.



Professional R & D team
10+ years experience/emold/ electronic engineer.



Fully Certified
Our are certified CE,UL,TUV ISO9001,IATF16949,etc.



Timely Delivery
21 production lines,
500+ employees,
Timely delivery guaranteed.



Quality Assurance
Professional QC team with
full process inspection.




After-sales service
After-Sales Service for
Customer Satisfaction.

Spectrometer PV



They are popular tools for measuring solar simulators and artificial lighting for various solar energy, biological, and horticultural applications. The instruments are NIST calibrated to measure the ...



APPLICATION NOTE SPECTROSCOPY IN SOLAR PANEL PRODUCTION The measurement needs of the solar industry are quite diverse, ranging from process control applications in the manufacturing of ...



We have developed an approach to detect PV modules based on their physical absorption and reflection characteristics using airborne imaging spectroscopy data.



Our techniques apply to virtually all PV technologies, and we bring world-class expertise to measuring critical parameters, such as minority-carrier lifetime, and the fundamental junction parameters in PV ...




Function: Small, portable and easy to deploy, accurately monitoring total radiation and spectral distribution, supporting PV power prediction, optimizing component operation, and reducing O&M costs.



This study investigates the use of a compact near-infrared (NIR) spectrometer for high-throughput field diagnostics of PV materials. Operating in the 1550–1950 nm spectral range, the ...



The BLACK-Comet concave grating spectrometers and the Dual-DSR spectrometer configurations are the perfect tools for making solar irradiance measurements. The solar irradiance ...



The SolarSIM sensors represent the state-of-the-art in solar resource measurement for PV applications. They are the only Class A sensors capable of resolving both broadband irradiance and the spectral ...



Five coated glass samples were analyzed with an Ocean Optics NIR spectrometer that was customized with a 100 um entrance slit and optimized for the range from 1200-2100 nm.



In this work we introduce equipment which is not usually used in PV field research - to identify the limitations and requirements of the spectrometer in this field.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

