


TP-Link Gigabit Single-Mode Fiber Optic



TP-Link Gigabit Single-Mode Fiber Optic



It is designed to convert 1000BASE-LX/LH fiber to 1000Base-T copper media or vice versa. It works at 1310nm wavelength with single-mode fiber cable utilizing the SC-type connector. You can use this ...



Buy TP-Link Gigabit SFP to RJ45 Fiber Media Converter | Fiber to Ethernet ...



The MC210CS is a media converter designed to convert 1000BASE-LX/LH fiber to 1000Base-T copper media or vice versa. Designed under IEEE802.3ab 1000Base-T and IEEE802.3z 1000Base-LX/LH ...




Buy TP-Link Gigabit SFP Module | 1000Base-LX Single-mode Fiber Mini GBIC ...



Buy TP-Link Gigabit SFP Module | 1000Base-LX Single-mode Fiber Mini GBIC Module | Plug and Play | LC/UPC Interface | Up to 10km Distance (TL-SM311LS) with fast shipping and top-rated customer ...



The SM311 series Fiber Module Cards are introduced for extending transfer distance. Attached to our managed/smart switches, they can extend the distance to several kilometers even tens of kilometers ...



TL-MC101 is a media converter designed to convert 1000BASE-LX fiber to 1000Base-T copper media or vice versa. Designed under IEEE802.3ab 1000Base-T and IEEE802.3z 1000Base-LX standards, TL ...




Buy TP-Link Gigabit SFP to RJ45 Fiber Media Converter | Fiber to Ethernet Converter | 10/100/1000Mbps RJ45 Port to 1000Base-LX Single-Mode Fiber (MC210CS) Grey: Network ...



TP-LINK TL-SM321A is SFP Single Fiber Transceiver supporting 1.063-1.25Gbps data rate in 10 km distance over Single-Mode Fiber (SMF).



TP-Link takes your privacy seriously. For further details on TP-Link's privacy practices, see TP-Link's Privacy Policy.



Designed to convert 1000BASE-LX fiber to 1000Base-T copper media or vice versa. Works at 1000 Mbps in Full-Duplex mode for both TX port and FX port. Supports auto MDI/MDIX for TX port and ...



The MC210CS is a media converter designed to convert 1000BASE-LX fiber to 1000Base-T copper media or vice versa. Designed under IEEE802.3ab 1000Base-T and IEEE802.3z 1000Base-LX ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

