Optics & Photonics

Indzawo Optic Connect

Tanzania Active Optical Cable 200G





© 2026 Indzawo Optic Connect - All rights reserved

Tanzania Active Optical Cable 200G



The Forara 200G QSFP-DD Active Optical Cable (AOC) solutions provide a high-speed, cost-effective, power-efficient and virtually error-free connectivity over multimode fiber (MMF) cables in a nominal ...



200G QSFP-DD AOC Active Optical Cable 200G AOC Cable, QSFP-DD, multimode fiber, customize cable lengths up to 100 meters



The 200G QSFP-DD To 2x 100G QSFP28 breakout Active Optical Cable is designed for short-range multi-lane data communication and interconnect applications. It integrates eight data lanes in each ...



The 200G QSFP56 IB HDR AOC is designed for use in 200G links over multimode fiber, it contains four multi-mode fibers (MMF) optic transceivers per end, each operating at data rates of up to 50Gb/s, ...



The QSFP56 200G AOC active optical cable has a standard SFF-8665 compliant QSFP56 port on the electrical side towards the host system. It contains four multi-mode fibers (MMF) optic transceivers ...

© 2026 Indzawo Optic Connect - All rights reserved



Discover Proficium for connectivity at scale with OEM-compatible optical transceivers, dac cables, active copper cables, active optical cables, and fiber optic cables. View all products now!



200G AOC Cables from JTOPTICS are Active Optical Cables that offer lightweight, flexible, and low-power connectivity. Designed for high-performance computing and networking environments, they ...



The 120 Gbps CXP Active Optical Cable is a high-density, low-weight, bidirectional interconnect that can reach up to 100 meters on OM3 Multimode fiber, which is hot-pluggable and fully compliant with the ...



The QSFP56 AOC supports 212.5Gb/s PAM4 with a built-in 200G PAM4 DSP, 4-channel 850nm VCSEL, and PIN photodetector arrays. It features DDM, operates from 0 to 70ºC, and consumes ...



An active optical cable assembly with a 200G QSFP56 SR4 Lite optical transceiver module integrated at each end Each side contains 4 channels of 850nm VCSEL and PIN

© 2026 Indzawo Optic Connect - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved