


Types of Lithuanian Cast Aluminum Explosion-proof Distribution Boxes



Types of Lithuanian Cast Aluminum Explosion-proof Distribution Box



Ex Industries offers a wide selection of sizes of hazardous area enclosures: explosion-proof enclosures and flameproof Exd housings, in both cast aluminum and stainless steel materials.



Explosion proof control enclosures and junction boxes are designed to house arcing/ sparking devices in Division 1 rated areas. Rated NEMA 4/7/9 for UL and cUL Classified hazardous areas, are ...



Constructed from corrosion-resistant, copper-free aluminum, the GUB series terminal boxes and junction boxes are available in a variety of sizes and configurations to suit different installation needs.



The outer casing of the product is cast aluminum alloy ZL102. Adopting one-time die-casting process, the surface is smooth, the appearance is beautiful, the internal structure is high in density, the impact ...



The enclosures are certified Ex d IIB+H2 and Ex tb as well as "explosion-proof". They are available in many sizes, a wide range of operating elements and monitoring functions can be integrated. They ...



These systems in all cases have a customised structure - various enclosure types and sizes are available, depending on requirements and the volume of equipment:



Explosion proof power distribution panel are designed and built to operate in environments where concentrations of flammable gases, vapors, liquids or combustible particles pose risks of ignition and ...



These are available in a range of materials including Stainless Steel, GRP & Sheet Steel from IP42 (Indoor) to IP 66 (Outdoor) Applications.



There are several types of aluminum explosion proof distribution box available, each designed to fulfill specific functions within an electrical system. Common types include circuit breakers, switchgear, ...



The die-cast aluminum AboX is an ATEX and IECEx certified enclosure featuring built-in Ex-e and Ex-i wiring terminals. With an operating temperature range of -60°C to +80°C @T4, AboX is well-suited ...



Our flameproof enclosure EJB or BARTEC B series is designed to be installed in industrial plants, where potential hazardous atmospheres occur. These areas are either classified as zone 1 and 2 or as ...



The enclosures can be combined into large distribution system on standard-ised wall mounting or free-standing frameworks. The frameworks come in standardized sizes to accommodate the enclosure ...



·Equipped with specialized hinge structure, which can prevent the flameproof joints from damage when opening and closing the box, and greatly prolong the service life of box. The boxes can be combined ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

