Indzawo Optic Connect

UK Optical Router OSFP

Overview

OSFP (Octal Small Form Factor Pluggable) is a pluggable optical transceiver interface standard that supports eight electrical lanes (Tx/Rx) per module. Each lane can operate up to 100G PAM4, allowing total bandwidths of 400G or 800G depending on configuration. This article will introduce the technical features and differences of 400G OSFP/QSFP-DD/QSFP112 modules, presenting the FS 400G module product list and application scenarios to meet various deployment needs. Unlike the backward-compatible QSFP-DD, OSFP introduces a slightly larger mechanical form to. Octal Small Form-factor Pluggable (OSFP) solution that fits into high-density switch and router client ports for optical interconnect links Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D Siliconization Supports.

© 2026 Indzawo Optic Connect - All rights reserved

UK Optical Router OSFP

The Octal Small Form Factor Pluggable (OSFP) is a high-performance transceiver form factor designed for 400G and 800G optical networking. OSFP was among the first form factors to support native ...

Octal Small Form-factor Pluggable (OSFP) solution that fits into high-density switch and router client ports for optical interconnect links. Powered by Greylock and Delphi DSP ASICs, and silicon ...

OSFP (Octal Small Form factor Pluggable) transceivers support 400Gbps, and 800Gbps bandwidth speeds through eight electrical lanes running at 50Gbps or 100Gbps respectively.

Confused about the differences between OSFP, QSFP, and SFP? This guide explains their distinct features, applications, and helps you choose the right module for your network.



This article explores the technical characteristics, product lineup, and use cases of 400G OSFP/QSFP-DD/QSFP112 modules to choose the most suitable 400G solution for your data centers.

© 2026 Indzawo Optic Connect - All rights reserved

	OSFP is designed to support the next generation of 800G optics modules that will use eight lanes of 100Gbps, and offers backwards compatibility with 100G QSFP. They are compliant with the OSFP ...
	This article introduces the fundamental concept and key characteristics of 400G OSFP Ethernet optical transceivers, and analyzes their ...
	A reference 1U system with 32 OSFP-XD ports was analyzed using airflow simulation tools for both 40W optical modules and 20W active electrical copper cables. As shown below, the OSFP-XD provides ...
	Learn how OSFP (Octal Small Form Factor Pluggable) enables scalable 400G and 800G Ethernet connectivity with superior thermal design, power efficiency, and compatibility.
	This article introduces the fundamental concept and key characteristics of 400G OSFP Ethernet optical transceivers, and analyzes their practical value in data center and high-speed ...
	Arista supports a full range of 400G optical transceivers, Active Optical Cables (AOCs) and Direct Attach Copper cables (DACs) in both OSFP and QSFP-DD form factors.

© 2026 Indzawo Optic Connect - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved