

# Why do optical splitters with one-to-two splitter characteristics experience significant attenuation



## Overview


Each doubling of the split ratio increases optical insertion loss by approximately 3 dB. Therefore, 1×2 has low loss, while 1×64 introduces significantly higher loss, affecting maximum transmission distance and allowable attenuation in the PON power budget. By dividing a single optical signal from a central Optical Line Terminal (OLT) into multiple outputs for Optical Network Terminals (ONTs) at users' homes, splitters eliminate the need for dedicated fibers to each residence—slashing infrastructure costs while scaling network reach. This guide. Planar Lightwave Circuit (PLC) splitters are essential components in passive optical networks (PONs), allowing a single optical input to be divided into multiple output signals. These are known as passive optical splitters, and they perform the function. An optical splitter is a passive bidirectional element, which is used to connect a large number of subscribers/ONUs to an OLT. It should be noted that this table is applicable for fused optical splitters (FBP) and of course does not pretend to absolute accuracy (peculiarity of manufacturing of FBT splitters). The choice of

split ratio—1×2, 1×4, 1×8, 1×16, 1×32, or 1×64—directly impacts optical power budget, network reach, subscriber density, and long-term expansion capability.

## Why do optical splitters with one-to-two splitter characteristics exp



Whether an optical splitter is combining signals in the upstream direction or dividing signals in the downstream direction, it still introduces the same attenuation to an optical input signal.




Optical splitters introduce a large attenuation, a 1:2 splitter introduces as much attenuation as an optical fiber about 10 km long (>3dB). The existence of an optical splitter on the display of OTDR shows as a ...



The signal attenuation in an optical splitter is symmetrical, meaning it is the same in both directions. Whether the splitter is combining signals upstream or dividing signals downstream, it ...



One of the most valuable uses of optical splitters is to determine splitter loss. This loss occurs because the signal level decreases as the signal is divided into two or more outputs.



A very frequent question is how the splitter ratio in an optical splitter relates to the actual signal gain. In other words, how much attenuation a splitter contributes to each output.



Each doubling of the split ratio increases optical insertion loss by approximately 3 dB. Therefore, 1×2 has low loss, while 1×64 introduces significantly higher loss, affecting maximum ...



Planar Lightwave Circuit (PLC) splitters are essential components in passive optical networks (PONs), allowing a single optical input to be divided into multiple output signals. When light ...



Understanding splitter ratios and insertion loss is fundamental to building a reliable fibre optic network. The key takeaway is that every split reduces optical power, and this loss must be ...



Understanding optical splitter loss isn't just about plugging numbers into a calculator. It's about knowing what factors contribute to that loss, how manufacturers specify it, and how it impacts ...



This guide focuses on two critical aspects of optical splitters that define FTTH performance: split ratios (how signals are divided) and splitting architectures (how splitters are ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

