


# Zero potential in the distribution box



## Overview

The box is of length  $a$  along the  $x$  axis, length  $b$  along the  $y$  axis and length  $c$  along the  $z$  axis. This potential is described as follows:  $V(x,y,z)=0$  if  $0 < x < a$ ,  $0 < y < b$ ,  $0 < z < c$  Region I  $V(x,y,z) = \infty$  elsewhere Region II

Some trajectories of a particle in a box according to Newton's laws of classical mechanics (A), and according to the Schrödinger equation of quantum mechanics (B-F). For a particle moving in one dimension (again along the  $x$ - axis), the Schrödinger equation can be written Assume. If the energy of the particle is less than the potential,  $E < V_0$ , the particle is bounded within the box and we will show that, as was also the case for the infinite square well, the particles are described by states which have quantised energies. We will also show that for the bounded states. Assume the potential  $U(x)$  in the time-independent Schrodinger equation to be zero inside a one-dimensional box of length  $L$  and infinite outside the box. Figure 2 A standing wave with points of minimum amplitude (nodes) and maximum amplitude (antinodes) Source of figure: . And so a more general solution is the combination of the two:  $\psi(x) = A_1 e^{ikx} + A_2 e^{-ikx}$ . And physically this is what we actually expect from REFLECTION OF A WAVE FROM A BOUNDARY! (see linked animation!)  $\psi(x) = 2iA_1 \sin kx = C \sin kx$

where we simplify by setting  $C = 2iA_1$ . but we also need  $(L) = 0$  so.

## Zero potential in the distribution box



Some of the possible energies for a particle in a box are shown on an energy-level diagram in the figure below.



For a particle in a one-dimensional box, the lowest energy level, known as the ground state, is nonzero. This means that the particle cannot have zero energy within the confines of the box. The reason for ...




The walls of a one-dimensional box may be seen as regions of space with an infinitely large potential energy. Conversely, the interior of the box has a constant, zero potential energy. This means that ...



This box can also be thought of as an area of zero potential surrounded by walls of infinitely high potential. The particle cannot penetrate infinitely high potential barriers.



The tunneling probability correspond to the area outside the box that has non-zero values of probability density. In the graphical representation, those areas are ...




The probability of finding the particle must be zero where the potential is infinite, so the wavefunction  $\Psi$  must be zero at the edges of the box.  $\Psi$  is non-zero somewhere inside the ...



For a quantum particle in a box, the first excited state has zero value at the midpoint position in the box, so that the probability density of finding a particle at this point is exactly zero.



Figure 3 5 1: The barriers outside a one-dimensional box have infinitely large potential, while the interior of the box has a constant, zero potential. (CC-BY 4.0; OpenStax). The particle is ...



The tunneling probability correspond to the area outside the box that has non-zero values of probability density. In the graphical representation, those areas are shaded in green.



Assume the potential  $U(x)$  in the time-independent Schrodinger equation to be zero inside a one-dimensional box of length  $L$  and infinite outside the box. For a particle inside the box a free particle ...



So far we have just done an infinite 1D potential... so lets try to get closer to the physical system we want, but keeping something very simple. So instead of an infinite potential, lets do a finite potential.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

